

The Enforcement Response Policy Targeting Tool
- PWS Ranking using Sum of (S1 + S2 + S3 + ...) + n Formula -

All ETT Scores above the following threshold are highlighted yellow.

11

Database: Oct 2016 SDWIS/ED France
(For most states, this includes data up to June 30, 2016.)

DPA Region	State	PWSID	PWS Name	ETT Score	PWS Type	Pop Served	Viol.	Priority Since Date	Repeat Violator	Total MCLs Pts	On Path to Compliance?	School or Childcare	Sp. has RD visit?	Owner Type	ETT score classification	October 2016 ETT Quarterly Update	July 2016 ETT Quarterly Update	April 2016 ETT Quarterly Update	January 2016 ETT Quarterly Update	October 2015 ETT Quarterly Update	July 2015 ETT Quarterly Update	April 2015 ETT Quarterly Update	January 2015 ETT Quarterly Update	October 2014 ETT Quarterly Update	July 2014 ETT Quarterly Update	April 2014 ETT Quarterly Update
05	MI	M0005361	PINEVIEW HOMES	21	CWS	35	View	06/30/2016	21	1	Not on Path	N	Y	P	Current Score >= 11	MDEQ 01/17: The supply returned to compliance on 9/12/16.	RS 02/2016: RS requests that MDEQ refer this system to RS for enforcement for its Arsenic MCL violations for Q3 and Q4 of 2015 and Q1 of 2016. MDEQ 10/16: System signed an ACO in April 2016. They have installed a new well and disconnected the high well from service. This should be resolved by the end of CY 16. No referral requested at this time.									
05	MI	M0007104	WHITEMORE SQUARE APARTMENTS	15	CWS	30	View	09/30/2016	19	5	New	N	N	P	Current Score >= 11	MDEQ 01/17: The supply returned to compliance on 1/26/16.										
05	MI	M0040463	NORTHWOODS COMMUNITY	15	CWS	238	View	09/30/2016	15		New	N	Y	P	Current Score >= 11	RS 11/2016: RS requests that MDEQ refer this system to RS for enforcement for its unaddressed Arsenic MCL violations. MDEQ 01/17: The supply has signed an arsenic treatment system. They have a deadline to have the installation done by 11/15/16.										
05	MI	M0000817	BOYSVILLE	11	CWS	44	View	06/30/2016	12	2	Not on Path	N	Y	P	Current Score >= 11	MDEQ 01/17: System currently does not have residential population. However, they have submitted a permit application to the MDEQ to upgrade the system and assure they will be in compliance as they can begin to repopulate.	RS 02/2016: RS requests that MDEQ refer this system to RS for enforcement for its GWMT TT violation, COWS MTR violations and Stage 1 DIOBP MTR violation. MDEQ 01/16: System currently does not have residential population. The DEC is working with the system to be in compliance when they repopulate. No referral requested at this time.									
05	MI	M0005366	GREEN BROOK ESTATES	1	CWS	73	View		67	29		N	Y	P	Current Score 1 to 10	RS 11/2016: Please advise if MDEQ's referral of this system to the ACO office for enforcement includes enforcement for the system's Arsenic MCL violations. MDEQ 01/17: Yes, it does. Even though they are currently below the MCL of 10 ppb, we are requiring them to proceed with installation of treatment.	RS 02/2016: RS requests that MDEQ refer this system to RS for enforcement for its Lead Consumer Notice and COWS failure to respond/consult with State violations. MDEQ 01/16: This system has been referred to the ACO's office for enforcement. They are registering an ACO, and if that doesn't work, will be pursuing the issues in court. No referral requested at this time.									
05	MI	M0040313	SUNSET MOBILE HOME PARK	0	CWS	143	View		8	2		N	Y	P	Current Score 0	RS 11/2016: RS requests that MDEQ refer this system to RS for enforcement for its 2/24/2016 Failure to Address COWS deficiency and 11/24/2016 Failure to Respond/Consult with State violations. MDEQ 01/17: This community was recently sold. We are working with the new owner to sign an ACO, and resolve all the outstanding issues left.										
05	MI	M0040361	MAPLE ISLAND ESTATES	6	CWS	300	View		19	15	Not on Path	N	N	P	Current Score 1 to 10	MDEQ 01/17: The DEC continues to work with our sister agencies to resolve service issues of non-compliance. We are not referring at this time; however, we will continue to assess enforcement options. MDEQ 10/16: This supply has not RTR for either PFCu tap sampling or the Consumer Notice. They are still in escalated enforcement for waste water issues, and are currently operating without a license. If these issues are not resolved soon, the community will be closed. We will continue to work with our sister agencies to resolve these multiple issues, and therefore are not requesting a referral at this time.	MDEQ 10/16: This supply has not RTR for either PFCu tap sampling or the Consumer Notice. They are still in escalated enforcement for waste water issues, and are currently operating without a license. If these issues are not resolved soon, the community will be closed. We will continue to work with our sister agencies to resolve these multiple issues, and therefore are not requesting a referral at this time.	RS 02/2016: RS requests that MDEQ refer this system to RS for enforcement for its Lead Consumer Notice and LCR MTR violations. MDEQ 01/16: System received significant deficiencies from 11/15. Cannot RTR for PFCu tap sampling until samples collected after 01/16. DEC will make a final attempt to get the Consumer Notice. This community is currently involved in a cross-agency enforcement case which includes community water, therefore no referral at this time.	RS 11/2016: RS requests that MDEQ refer this system to RS for enforcement for its Lead Consumer Notice and LCR MTR violations. MDEQ 01/16: Significant deficiency issued Nov. 2015. As of 01/08/16 they are making significant progress towards compliance. No referral to EPA at this time.							
5	MI	M0040473	RIVER FOREST MOBILE HOME PARK	6	CWS	140	View		6	1		N	N	P	Current Score 1 to 10	MDEQ 01/17: Community is currently in process of being sold. Staff are working with the potential new owner to assure they understand and will resolve all outstanding violations. If the sale falls through, MDEQ will proceed with an ACO with the current owner. MDEQ 10/16: The DEC sent an enforcement notice to the owner of this community in Sept 2016, requiring the entry into an ACO, or failing that referring the case to our Attorney General's Office for civil litigation for a number of violations. We then learned that the owner has been hospitalized for an extended period. Further action will be taken when appropriate.	RS 02/2016: RS requests that MDEQ refer this system to RS for enforcement for its Lead Consumer Notice violation. MDEQ 01/16: The supply is being issued an enforcement notice for a variety of issues, including the LCN. No referral requested at this time.	RS 11/2016: RS requests that MDEQ refer this system to RS for enforcement of Lead Consumer Notice requirements. MDEQ 01/16: District is pursuing return to compliance. No referral at this time, will reconsider if not resolved by next quarter.								
05	MI	M0040105	WHITE PINES MOBILE HOME PARK	5	CWS	90	View		13	8		N	N	P	Current Score 1 to 10	RS 11/2016: RS requests that MDEQ refer this system to RS for enforcement for its unaddressed 12/30/2015 Lead Consumer Notice violation, TCR MTR and RTR Reporting violations. MDEQ 01/17: Owner has expressed willingness to sign an ACO, which is in progress. No referral at this time.	MDEQ 10/16: The system was issued a significant deficiency for several violations in April 2016, including the failure to monitor PFCu and issue the lead consumer notice. If this enforcement path is unsuccessful, we will re-evaluate referring to EPA.	RS 02/2016: RS requests that MDEQ refer this system to RS for enforcement for its Lead Consumer Notice and LCR MTR violations. MDEQ 01/16: The system has just submitted PFCu compliance samples which will SCOT the MTR violation. MDEQ will make one last attempt to get the Consumer Notice, and will re-evaluate referring if not successful.								
05	MI	M00000236	ARBOR RIDGE CONDOMINIUMS	4	CWS	58	View		24	21		N	N	P	Current Score 1 to 10	MDEQ 01/17: Staff are continuing to pursue enforcement, not ready to refer at this time.										
05	MI	M0004152	MATHIAS TOWNSHIP	4	CWS	175	View		1			N	N	L	Current Score 1 to 10	RS 11/2016: RS requests that MDEQ refer this system to RS for enforcement for its unaddressed 02/01/16 DEP Stage 1 TTHM and HAAS MTR violations. MDEQ 01/17: Supply requested to be in compliance.										

Region	State	PWSID	PWS Name	ETL Score	PWS Type	Pop Served	Violations	Priority Score Date	Repeat Violator	Total ETL Ctl Pts	On Path to Compliance?	School of Children	Sp has MR Viol?	Owner Type	ETL score classification	October 2016 ETL Quarterly Update	July 2016 ETL Quarterly Update	April 2016 ETL Quarterly Update	January 2016 ETL Quarterly Update	October 2015 ETL Quarterly Update	July 2015 ETL Quarterly Update	April 2015 ETL Quarterly Update	January 2015 ETL Quarterly Update	October 2014 ETL Quarterly Update	July 2014 ETL Quarterly Update	April 2014 ETL Quarterly Update
05	MI	M0001490	CLIQ, CITY OF	3	CWS	2,646	view			3	2	N	N	L	Current Score 1 to 10	RS 1/20/16: RS requests that MDEQ refer this system to RS for enforcement for its unaddressed 9/12/2015-8/1/2016 DSP Stage 1 TTHM and HAAS MR violations. MDEQ 6/17: Supply returned to compliance on 8/1/16.										
05	MI	M0006762	V F W NATIONAL HOME	3	CWS	160	view			4	2	N	N	P	Current Score 1 to 10	MDEQ 6/17: This requires additional research - we will provide additional information at a later time.		RS 5/20/16: RS requests that MDEQ refer this system to RS for enforcement for its Lead Consumer Notice and Stage 2 TTHM/HAAS MR violations. MDEQ 6/16: System RTC FOR PH on 3/4/16. They cannot RTC for Stage 2 until June 2016. No referral requested at this time.								
05	MI	M0000877	BRILEY TOWNSHIP	1	CWS	344	view			1		N	N	L	Current Score 1 to 10	RS 1/20/16: RS requests that MDEQ refer this system to RS for enforcement for its unaddressed 1/10/2015-12/31/2015 DSP Stage 1 TTHM and HAAS MR violations. MDEQ 6/17: Supply returned to compliance on 8/1/16.										
05	MI	M0000205	PARMA TOWNSHIP-AMBERTON VILL.	1	CWS	378	view			1		N	N	L	Current Score 1 to 10	RS 1/20/16: RS requests that MDEQ refer this system to RS for enforcement for its unaddressed 1/20/2015 Lead Consumer Notice violation. MDEQ 6/17: MDEQ is still pursuing compliance with this system. We are not.										
05	MI	M0006377	MCTI FAMILY HOUSING	2	CWS	40	view			13	12	N	N	S	Current Score 1 to 10	MDEQ 10/16: The violation was SCORED 7/20/16. No referral necessary.	RS 5/20/16: RS requests that MDEQ refer this system to RS for enforcement for its Lead Consumer Notice violation. MDEQ 6/16: The Supply has not RTC for this violation. MDEQ will make one last attempt to get the Consumer Notice, and will re-evaluate referring if not successful.									
05	MI	M0004168	MARY'S CITY OF DAVID	10	CWS	35	view			48	38	Not on Path	N	Y	P	Current Score 1 to 10	RS 5/20/16: RS requests that MDEQ refer this system to RS for enforcement of its CWR failure to address adequacy violation. Total CWR and LCR MR violations, and PH violation for system's November 2015 TCH monthly MCL violation. MDEQ 6/16: The system has RTC for PH on 3/7/16, for the LCR PE on 1/6/16, and the uncorrected sig def on 3/1/16, when they signed an ACO. Progress is occurring, therefore no referral is.									
05	MI	M0004082	HIDDEN CREEK ESTATES	10	CWS	77	view			31	21	N	Y	P	Current Score 1 to 10											
05	MI	M0000993	SHERMAN TOWNSHIP	8	CWS	46	view			10	8	N	Y	L	Current Score 1 to 10											
05	MI	M0000992	WATERSMEET TOWNSHIP	7	CWS	678	view			13	11	N	N	L	Current Score 1 to 10											
05	MI	M0004648	HURON BAY RESORT	7	CWS	140	view			7		N	N	P	Current Score 1 to 10											
05	MI	M0000990	BELEN VISTA TOWNSHIP	6	CWS	8,078	view			17	11	N	Y	L	Current Score 1 to 10											
05	MI	M0001393	ELY TOWNSHIP DORITE	6	CWS	198	view			10	5	N	Y	L	Current Score 1 to 10											
05	MI	M0004445	SUGAR LAKE RESORT	6	CWS	146	view			11		N	N	P	Current Score 1 to 10											
05	MI	M0004319	ROBIN HOOD/MOBILE COURT	6	CWS	63	view			11	5	N	N	P	Current Score 1 to 10											
05	MI	M0005430	FOHLERVILLE, VILLAGE OF	5	CWS	2,972	view			7	2	N	Y	L	Current Score 1 to 10											
05	MI	M0002944	HAMLET VILLAGE CONDOMINIUMS ASSOCIATION	5	CWS	126	view			4	2	N	N	P	Current Score 1 to 10											
05	MI	M0002945	HAMLET WEST PROPERTY OWNERS ASSOC	5	CWS	133	view			10	8	N	N	P	Current Score 1 to 10											
05	MI	M0004190	MOBARK CITY OF	5	CWS	666	view			3	1	N	N	L	Current Score 1 to 10											
05	MI	M0004480	MONTROUSE, CITY OF	5	CWS	1,667	view			9	4	N	N	L	Current Score 1 to 10											
05	MI	M0004600	NAUMA TOWNSHIP	5	CWS	95	view			25	20	N	N	L	Current Score 1 to 10											
05	MI	M0007103	HOMESTEAD/CRYSTAL RIVER WATER CO	5	CWS	1,365	view			7	3	N	N	P	Current Score 1 to 10											
05	MI	M0004098	LEE VALU MOBILE HOME PARK	5	CWS	86	view			2		N	N	P	Current Score 1 to 10											
05	MI	M0004615	REVERSBEND MOBILE HOME PARK	5	CWS	180	view			5		N	N	P	Current Score 1 to 10											
05	MI	M0004801	PINE RIDGE MOBILE HOME COMMUNITY	5	CWS	460	view			5		N	Y	P	Current Score 1 to 10											
05	MI	M0004739	NEWBERRY CORRECTIONAL FACILITY	4	CWS	1,001	view			4	1	N	N	S	Current Score 1 to 10											
05	MI	M0005844	REDAVED TOWNSHIP	4	CWS	250	view			1		N	N	L	Current Score 1 to 10											
05	MI	M0005981	ROBIN PARK	4	CWS	96	view			2		N	N	P	Current Score 1 to 10											
05	MI	M0001002	OKAY POINTE	3	CWS	1,000	view			2		N	N	L	Current Score 1 to 10											
05	MI	M0001565	COLUMBIAN LAKES ESTATES	3	CWS	70	view			3	1	N	N	P	Current Score 1 to 10											
05	MI	M0000480	FREEPORT	3	CWS	483	view			4	2	N	N	L	Current Score 1 to 10											
05	MI	M0000220	HEMER	3	CWS	1,668	view			3	1	N	N	L	Current Score 1 to 10											
05	MI	M0000890	LAUREL CITY OF	3	CWS	2,096	view			2		N	N	L	Current Score 1 to 10											
05	MI	M0000166	SOUTHFIELD	3	CWS	71,738	view			1		N	N	L	Current Score 1 to 10											
05	MI	M0000050	FREEPORT	3	CWS	80	view			3		N	N	L	Current Score 1 to 10											
05	MI	M0004000	TWIN PINE MOBILE HOME PARK	3	CWS	192	view			8	8	N	N	P	Current Score 1 to 10											
05	MI	M0004022	MOON LAKE ESTATES	3	CWS	105	view			30	20	Not on Path	N	N	P	Current Score 1 to 10	RS 5/20/16: RS requests that MDEQ refer this system to RS for enforcement for its Lead Consumer Notice and Arsenic MR violations. MDEQ 6/16: System RTC for PH CN on 4/4/16, and for									
05	MI	M0000200	AL SABLE TOWNSHIP	2	CWS	2,047	view			1		N	N	L	Current Score 1 to 10											
05	MI	M0000030	AUGUSTA	2	CWS	866	view			1		N	N	L	Current Score 1 to 10											
05	MI	M0000660	BERREN SPRINGS	2	CWS	3,530	view			1		N	N	L	Current Score 1 to 10											
05	MI	M0000990	BROOKLYN	2	CWS	1,263	view			1		N	N	L	Current Score 1 to 10											
05	MI	M0001030	CASS LAKE/SIDE SUBDIVISION	2	CWS	206	view			2	1	N	N	P	Current Score 1 to 10											
05	MI	M0001620	COPPER CITY	2	CWS	210	view			7	6	N	N	L	Current Score 1 to 10											
05	MI	M0000390	FOHLER VILLAGE OF	2	CWS	1,136	view			1		N	N	L	Current Score 1 to 10											
05	MI	M0000250	LAKE ZOSTER	2	CWS	1,287	view			1		N	N	L	Current Score 1 to 10											
05	MI	M0000206	SUN PLAIN TOWNSHIP	2	CWS	1	view			1		N	N	L	Current Score 1 to 10											
05	MI	M0000007	HEATHMAN	2	CWS	22,413	view			1		N	N	L	Current Score 1 to 10											
05	MI	M0000338	HOUGHTON LAKE TRIMBER APTS	2	CWS	48	view			47	48	Not on Path	N	N	P	Current Score 1 to 10										
05	MI	M0000460	JONESVILLE	2	CWS	2,258	view			1		N	N	L	Current Score 1 to 10											
05	MI	M0000400	MANISTEE, CITY OF	2	CWS	6,586	view			1		N	N	L	Current Score 1 to 10											
05	MI	M0000050	MANISTEE, CITY OF	2	CWS	1,271	view			2	1	N	N	L	Current Score 1 to 10											
05	MI	M0000410	MARION VILLAGE OF	2	CWS	872	view			1		N	N	L	Current Score 1 to 10											
05	MI	M0000420	MEMPHIS, CITY OF	2	CWS	1,180	view			1		N	N	L	Current Score 1 to 10											
05	MI	M0000034	ORONOCO TOWNSHIP	2	CWS	2,310	view			1		N	N	L	Current Score 1 to 10											
05	MI	M0000090	OTTEVILLE VILLAGE OF	2	CWS	864	view			4	2	N	N	L	Current Score 1 to 10											
05	MI	M0000015	PRESIDENT JOHN MARSH APARTMENTS	2	CWS	360	view			1		N	N	P	Current Score 1 to 10											
05	MI	M0000066	FRANKLIN QUINCY WATER AUTHORITY	2	CWS	260	view			1		N	N	P	Current Score 1 to 10											
05	MI	M0000073	RICEWAY	2	CWS	31	view			13	12	N	N	P	Current Score 1 to 10											
05	MI	M0000000	SHERBORN VILLAGE OF	2	CWS	1,036	view			2	1	N	N	L	Current Score 1 to 10											
05	MI	M0000015	SOUTH POINTE II APARTMENTS	2	CWS	32	view			2	1	N	N	P	Current Score 1 to 10											
05	MI	M0000016	SOUTH POINTE II APARTMENTS	2	CWS	32	view			2	1	N	N	P	Current Score 1 to 10											
05	MI	M0000017	SOUTH POINTE II APARTMENTS	2	CWS	32	view			2	1	N	N	P	Current Score 1 to 10											

MPA Region	State	FMSID	FMS Name	FTT Score	FMS Type	Pop Served	Visits	Priority Score Date	Repeat Violator	Total FTS/FM	On Path to Compliance?	School of Children	Spa has CWS?	Owner Type	FTT score classification	October 2016 FTT Quarterly Update	July 2016 FTT Quarterly Update	April 2016 FTT Quarterly Update	January 2016 FTT Quarterly Update	October 2015 FTT Quarterly Update	July 2015 FTT Quarterly Update	April 2015 FTT Quarterly Update	January 2015 FTT Quarterly Update	October 2014 FTT Quarterly Update	July 2014 FTT Quarterly Update	April 2014 FTT Quarterly Update
00	MI	M0000030	WAKEFIELD	2	CWS	2,318	yes			3	2	N	N	N	P	Current Score 1 to 10										
00	MI	M0000730	YALE, CITY OF	2	CWS	1,000	yes			3	2	N	N	N	L	Current Score 1 to 10										
00	MI	M0004172	MEADOWLAKE MOBILE HOME PARK	2	CWS	788	yes			1	1	N	N	N	P	Current Score 1 to 10										
00	MI	M0000002	MEADON, BROWN WILLOW VILLAGE	2	CWS	880	yes			1	1	Not on Path	N	N	P	Current Score 1 to 10										
00	MI	M00040378	CHILDS LAKE ESTATES MHC	2	CWS	1,548	yes			3	2	N	N	N	P	Current Score 1 to 10										
00	MI	M0000441	PURKWOOD VILLAGE	2	CWS	88	yes			36	36	Not on Path	N	N	P	Current Score 1 to 10										
00	MI	M00040575	CAPITAL CROSSINGS	2	CWS	100	yes			1	1	N	N	N	P	Current Score 1 to 10										
00	MI	M00000418	BURN SWALLOW APARTMENTS	1	CWS	90	yes			15	15	N	N	N	P	Current Score 1 to 10										
00	MI	M0001110	COPAC VILLAGE OF	1	CWS	1,275	yes			2	1	N	N	N	L	Current Score 1 to 10										
00	MI	M0001382	CHATEAU VIEW APARTMENTS	1	CWS	75	yes			1	1	N	N	N	P	Current Score 1 to 10										
00	MI	M0001380	CHEBOYGAN CITY OF	1	CWS	4,867	yes			1	1	N	N	N	L	Current Score 1 to 10										
00	MI	M0001090	CROOKHILL, CITY OF	1	CWS	2,447	yes			1	1	N	N	N	L	Current Score 1 to 10										
00	MI	M0001779	DELEWFIELD	1	CWS	943	yes			2	1	Not on Path	N	N	L	Current Score 1 to 10										
00	MI	M00000078	DEMARCO	1	CWS	1,501	yes			2	1	N	N	N	L	Current Score 1 to 10										
00	MI	M00000030	DALESBURG	1	CWS	2,877	yes			3	2	N	N	N	L	Current Score 1 to 10										
00	MI	M00000002	DEPUESE POINTE PARK	1	CWS	11,555	yes			6	6	N	N	N	L	Current Score 1 to 10										
00	MI	M00000000	DETRITROIS	1	CWS	7,363	yes			8	7	N	N	N	L	Current Score 1 to 10										
00	MI	M0000140	HIGHLAND PARK	1	CWS	11,776	yes			22	21	N	N	N	L	Current Score 1 to 10										
00	MI	M00000040	HOWARD CITY	1	CWS	1,858	yes			3	2	N	N	N	L	Current Score 1 to 10										
00	MI	M00000008	HUMBOLDT TOWNSHIP	1	CWS	5,040	yes			2	1	N	N	N	L	Current Score 1 to 10										
00	MI	M00000000	LAURENCE	1	CWS	1,045	yes			7	6	N	N	N	L	Current Score 1 to 10										
00	MI	M0004100	MARQUETTE	1	CWS	21,003	yes			1	1	N	N	N	L	Current Score 1 to 10										
00	MI	M00040200	MELVINCHALE	1	CWS	10,715	yes			2	1	N	N	N	L	Current Score 1 to 10										
00	MI	M00040375	MIDLAND CO. WATER DIST. NO. 1 OF	1	CWS	16,568	yes			8	8	N	N	N	L	Current Score 1 to 10										
00	MI	M00000000	OWAS CORRECTIONAL FACILITY	1	CWS	1,040	yes			1	1	N	N	N	S	Current Score 1 to 10										
00	MI	M00000000	ONTONAGON	1	CWS	2,019	yes			1	1	N	N	N	L	Current Score 1 to 10										
00	MI	M00000010	PAIR PARK	1	CWS	3,354	yes			2	1	N	N	N	L	Current Score 1 to 10										
00	MI	M00000000	PINEHURST APARTMENTS	1	CWS	85	yes			1	1	N	N	N	P	Current Score 1 to 10										
00	MI	M00000000	PORT SANILAC VILLAGE OF	1	CWS	893	yes			2	1	N	N	N	L	Current Score 1 to 10										
00	MI	M00000078	PROSLEY CORRECTIONAL FACILITY	1	CWS	1,947	yes			2	1	N	N	N	S	Current Score 1 to 10										
00	MI	M00000000	SAINT BEACH TOWNSHIP	1	CWS	460	yes			1	1	N	N	N	P	Current Score 1 to 10										
00	MI	M00000000	SPARTA	1	CWS	4,140	yes			8	5	N	N	N	L	Current Score 1 to 10										
00	MI	M00000000	ST CHARLES VILLAGE OF	1	CWS	2,054	yes			2	1	N	N	N	L	Current Score 1 to 10										
00	MI	M00000400	STOCKBRIDGE VILLAGE OF	1	CWS	1,202	yes			5	4	N	N	N	L	Current Score 1 to 10										
00	MI	M00000000	THE LIGHTHOUSE-TRAVELER CITY LLC	1	CWS	48	yes			14	13	N	N	N	P	Current Score 1 to 10										
00	MI	M00000010	THREE RIVERS	1	CWS	7,811	yes			2	1	N	N	N	P	Current Score 1 to 10										
00	MI	M00000047	THREETOPE RESORT THREETOPE NORTH	1	CWS	50	yes			1	1	N	N	N	P	Current Score 1 to 10										
00	MI	M00000070	TRENTONVILLE VILLAGE OF	1	CWS	1,503	yes			2	1	N	N	N	L	Current Score 1 to 10										
00	MI	M00007136	WILSON, CITY OF	1	CWS	9,922	yes			1	1	N	N	N	L	Current Score 1 to 10										
00	MI	M00040200	ALCONA ESTATES	1	CWS	980	yes			1	1	N	N	N	P	Current Score 1 to 10										
00	MI	M00040416	BRANLEY ESTATES GRAYLORD	1	CWS	80	yes			2	1	N	N	N	P	Current Score 1 to 10										
00	MI	M00040064	APPLE GROVE ESTATES	1	CWS	125	yes			1	1	N	N	N	P	Current Score 1 to 10										
00	MI	M00040000	ROCKLAND RIDGE	1	CWS	1,080	yes			7	6	N	N	N	P	Current Score 1 to 10										
00	MI	M00000042	ANA TOWNSHIP	0	CWS	7,155	yes			1	1	N	N	N	L	Current Score 0										
00	MI	M00000000	ADAMS TOWNSHIP	0	CWS	2,010	yes			1	1	N	N	N	L	Current Score 0										
00	MI	M00000000	ADRIAN	0	CWS	21,133	yes			1	1	N	N	N	L	Current Score 0										
00	MI	M00000048	RICHLYN MANOR	0	CWS	192	yes			10	10	N	N	N	P	Current Score 0										
00	MI	M00000000	AMHERST	0	CWS	148	yes			1	1	N	N	N	L	Current Score 0										
00	MI	M00000125	ALLEGAN COUNTY SERVICES CENTER	0	CWS	101	yes			2	2	N	N	N	L	Current Score 0										
00	MI	M00000100	ALLEN PARK	0	CWS	26,210	yes			1	1	N	N	N	L	Current Score 0										
00	MI	M00000170	ALPENA TOWNSHIP	0	CWS	5,197	yes			1	1	N	N	N	L	Current Score 0										
00	MI	M00000180	ALPHEA	0	CWS	198	yes			1	1	N	N	N	L	Current Score 0										
00	MI	M00000000	HEMLOCK TOWNSHIP	0	CWS	36	yes			36	36	N	N	N	L	Current Score 0										
00	MI	M00000020	ANDREWS UNIVERSITY	0	CWS	3,000	yes			1	1	Y	N	N	P	Current Score 0										
00	MI	M00000000	ASHLEY VILLAGE OF	0	CWS	508	yes			1	1	N	N	N	L	Current Score 0										
00	MI	M00000000	AUSTIN COMMONS 1	0	CWS	110	yes			1	1	N	N	N	L	Current Score 0										
00	MI	M00000040	BAD AWE	0	CWS	3,129	yes			1	1	N	N	N	L	Current Score 0										
00	MI	M00000000	BALDWIN VILLAGE OF	0	CWS	8	yes			6	6	N	N	N	L	Current Score 0										
00	MI	M00000000	BANDOR	0	CWS	1,938	yes			2	2	N	N	N	L	Current Score 0										
00	MI	M00000000	BANDOR/MONITOR METRO DISTRICT	0	CWS	2,071	yes			1	1	N	N	N	L	Current Score 0										
00	MI	M00000400	BANDON	0	CWS	910	yes			1	1	N	N	N	L	Current Score 0										
00	MI	M00000400	BARELY TOWNSHIP	0	CWS	260	yes			8	8	N	N	N	L	Current Score 0										
00	MI	M00000400	BARTON HILLS	0	CWS	690	yes			6	6	N	N	N	L	Current Score 0										
00	MI	M00000440	BATES TOWNSHIP	0	CWS	1,001	yes			8	8	N	N	N	L	Current Score 0										
00	MI	M00000000	BATTLE CREEK - VERONA SYSTEM	0	CWS	43,970	yes			1	1	N	N	N	L	Current Score 0										
00	MI	M00000010	BEAR LAKE VILLAGE OF	0	CWS	118	yes			7	7	N	N	N	L	Current Score 0										
00	MI	M00000017	BEAVER ROAD AREA WATER ASSOC.	0	CWS	786	yes			25	25	RTC	N	N	L	Current Score 0										
00	MI	M00000018	BEAVER TOWNSHIP	0	CWS	1,108	yes			26	26	RTC	N	N	L	Current Score 0										
00	MI	M00000070	BELLARE VILLAGE OF	0	CWS	1,164	yes			1	1	N	N	N	L	Current Score 0										
00	MI	M00000070	BELLE DAVES ASSISTED LIVING CENTER	0	CWS	47	yes			5	5	N	N	N	P	Current Score 0										
00	MI	M00000000	BENTON HERBORD	0	CWS	9,970	yes			8	8	N	N	N	L	Current Score 0										
00	MI	M00000000	BENTON CHAMBER TOWNSHIP	0	CWS	6,470	yes			1	1	N	N	N	L	Current Score 0										
00	MI	M00000010	BENTON VILLAGE OF	0	CWS	519	yes			1	1	N	N	N	L	Current Score 0										
00	MI	M00000000	BEULAH VILLAGE OF	0	CWS	990	yes			13	13	RTC	N	N	L	Current Score 0										
00	MI	M00000070	BIRCHDALE VILLAGE OF	0	C																					

File	MSD	MSD Name	DTT Score	PWS Type	Pre Prod Vols	Vols	Priority Since Data	Repeat Volume	Total RTCC Pts	On Path to Compliance	School of Children	Type last visit	Owner Type	DTT score Classification	October 2015 DTT Quarterly Update	July 2015 DTT Quarterly Update	April 2015 DTT Quarterly Update	January 2015 DTT Quarterly Update	October 2014 DTT Quarterly Update	July 2014 DTT Quarterly Update	April 2014 DTT Quarterly Update						
05	MI	M0001490	OKANAMIE TOWNSHIP	D	CWS	2,925	40%		1	1	N	N	L	Current Score 0													
05	MI	M0001489	OLAY TOWNSHIP	D	CWS	1,866	40%		1	1	N	N	L	Current Score 0													
05	MI	M0001480	OLYFORD VILLAGE OF	D	CWS	924	40%		1	1	N	N	L	Current Score 0													
05	MI	M0001485	CLINTON TOWNSHIP	D	CWS	37,013	40%		1	1	N	N	L	Current Score 0													
05	MI	M0001393	OLIVERIA CITY OF	D	CWS	243	40%		1	1	N	N	L	Current Score 0													
05	MI	M0001336	OLMA	D	CWS	2,980	40%		2	2	N	N	L	Current Score 0													
05	MI	M0001373	OLMARVILLE VILLAGE OF	D	CWS	787	40%		1	1	N	N	L	Current Score 0													
05	MI	M0001352	OLMISTE CENTER	D	CWS	60	40%		6	6	N	N	P	Current Score 0													
05	MI	M0001349	OLMISTE PLACE SENIOR CARE CENTER	D	CWS	40	40%		1	1	N	N	P	Current Score 0													
05	MI	M0001395	OLMISTE VILLAGE TOWNSHIP	D	CWS	3,205	40%		1	1	N	N	L	Current Score 0													
05	MI	M0001362	COUNTRY VILLAGE APARTMENTS	D	CWS	40	40%		10	10	N	N	P	Current Score 0													
05	MI	M0001365	COUNTRY ACRES HOMOWNERS ASSOCIATION	D	CWS	180	40%		1	1	N	N	P	Current Score 0													
05	MI	M0001466	CROOKED RIVER APARTMENTS	D	CWS	32	40%		5	5	N	N	P	Current Score 0													
05	MI	M0001369	LAKEVIEW APARTMENTS	D	CWS	30	40%		14	14	N	N	P	Current Score 0													
05	MI	M0001392	OLIVE CO. HOMING-CLUBS	D	CWS	80	40%		10	10	N	N	P	Current Score 0													
05	MI	M0001700	CRYSTAL FALLS	D	CWS	1,922	40%		20	20	N	N	L	Current Score 0													
05	MI	M0001718	CRYSTAL MOUNTAIN RESORT & SPA	D	CWS	550	40%		1	1	N	N	L	Current Score 0													
05	MI	M0001768	DEERFIELD VILLA	D	CWS	72	40%		10	10	N	N	P	Current Score 0							RS 2/2015: Update on animal MCL violations beginning 4/1/2014. MDEQ 3/2015: Water supply returned to compliance in October 2014.						
05	MI	M0001773	DEERWOOD SUBDIVISION	D	CWS	1,646	40%		5	5	N	N	L	Current Score 0													
05	MI	M0001774	DEER PARK CONDOMINIUMS	D	CWS	30	40%		1	1	N	N	L	Current Score 0													
05	MI	M0001340	OSCEOLA TOWNSHIP	D	CWS	830	40%		10	10	N	N	L	Current Score 0													
05	MI	M0001385	OSCHANGA	D	CWS	6,350	40%		2	2	N	N	L	Current Score 0													
05	MI	M0001390	DURAND CITY OF	D	CWS	3,973	40%		5	5	N	N	L	Current Score 0													
05	MI	M0001395	DUNSMITH HEIGHTS SUBDIVISION	D	CWS	81	40%		4	4	N	N	P	Current Score 0													
05	MI	M0001395	DUNSMITH HEIGHTS SUBDIVISION	D	CWS	30	40%		10	10	N	N	P	Current Score 0													
05	MI	M0001390	EAGLE HARBOR TOWNSHIP	D	CWS	80	40%		7	7	N	N	L	Current Score 0													
05	MI	M0001393	EAGLE HARBOR TOWNSHIP	D	CWS	40	40%		1	1	N	N	L	Current Score 0													
05	MI	M0001392	EAGLE VILLAGE	D	CWS	84	40%		7	7	N	N	P	Current Score 0													
05	MI	M0001395	EASTPOINT, CITY OF	D	CWS	32,045	40%		2	2	N	N	L	Current Score 0													
05	MI	M0001390	EMERALD HILLS APARTMENTS, LLC	D	CWS	100	40%		1	1	N	N	L	Current Score 0													
05	MI	M0000010	EAST TEXAS CITY OF	D	CWS	2,808	40%		1	1	N	N	L	Current Score 0													
05	MI	M0000020	ELATON RANCH, CITY OF	D	CWS	5,340	40%		1	1	N	N	L	Current Score 0													
05	MI	M0000080	ELBERTA VILLAGE OF	D	CWS	372	40%		6	6	N	N	L	Current Score 0													
05	MI	M0000109	ELATON VILLAGE OF	D	CWS	808	40%		10	10	N	N	L	Current Score 0													
05	MI	M0000125	EMERY PINES	D	CWS	30	40%		1	1	N	N	L	Current Score 0													
05	MI	M0000195	LANTERN BAY TREATMENT CENTER	D	CWS	52	40%		8	8	N	N	P	Current Score 0													
05	MI	M0000200	NEILLAN TOWNSHIP	D	CWS	381	40%		1	1	N	N	L	Current Score 0													
05	MI	M0000230	FARMINGTON CITY OF	D	CWS	16,500	40%		2	2	N	N	L	Current Score 0													
05	MI	M0002273	FENTON HARBOR CONDOMINIUMS	D	CWS	40	40%		35	35	RTC	N	N	P	Current Score 0												
															MDEQ 4/16: New media working, system returned to compliance on 12/29/2015.	MDEQ 7/16: Waiting for 4th quarter compliance monitoring to calculate RAA, to determine compliance with the MCL.	MDEQ 10/16: quarterly results remain below the MCL, however, the RAA is still over 10.	MDEQ 10/16: quarterly results remain below the MCL, however, the RAA is still over 10.	RS 2/2015: Update on animal MCL violations beginning 11/2014. MDEQ 4/2015: Media has been replaced and recent results are below the MCL. However, RAA is still over 10.								
05	MI	M0002277	LAKE PARK VILLAGE CONDOMINIUMS	D	CWS	900	40%		5	5	N	N	P	Current Score 0													
05	MI	M0002280	FINCHDALE	D	CWS	22,158	40%		1	1	N	N	P	Current Score 0													
05	MI	M0002310	FLINT CITY OF	D	CWS	69,763	40%		36	36	N	N	L	Current Score 0													
05	MI	M0002330	FORDTOWN TOWNSHIP	D	CWS	2,479	40%		26	26	RTC	N	N	L	Current Score 0												
05	MI	M0002340	FRANCISVILLE, CITY OF	D	CWS	1,064	40%		2	2	N	N	L	Current Score 0													
05	MI	M0002345	FRANCISVILLE HOMEOWNERS ASSN	D	CWS	483	40%		2	2	N	N	P	Current Score 0													
05	MI	M0002480	FRASER CITY OF	D	CWS	16,500	40%		1	1	N	N	L	Current Score 0													
05	MI	M0002480	FRESHWAT	D	CWS	4,081	40%		5	5	N	N	L	Current Score 0													
05	MI	M0002510	GALESTRA	D	CWS	376	40%		6	6	N	N	L	Current Score 0													
05	MI	M0002540	GARNER	D	CWS	700	40%		2	2	N	N	L	Current Score 0													
05	MI	M0002550	GENESSEE COUNTY WATER SYSTEM	D	CWS	71,500	40%		5	5	N	N	L	Current Score 0													
															RE 5/2016: RE requests that MDEQ refer this system to RS for enforcement for its Lead Consumer Notice violation. MDEQ 7/16: System RTC on MDEQ.												
05	MI	M0002610	GREENTREE ESTATES APARTMENTS	D	CWS	500	40%		1	1	N	N	P	Current Score 0													
05	MI	M0002640	GLADSTONE	D	CWS	4,268	40%		10	10	N	N	L	Current Score 0													
05	MI	M0002770	GRAND LEDGE, CITY OF	D	CWS	8,600	40%		6	6	N	N	L	Current Score 0													
05	MI	M0002780	GRAND TRAVELERS CONDOMINIUMS	D	CWS	60	40%		6	6	N	N	P	Current Score 0													
05	MI	M0002803	GRANT	D	CWS	884	40%		6	6	N	N	P	Current Score 0													
05	MI	M0002851	GREENVILLE ACRES	D	CWS	50	40%		2	2	N	N	P	Current Score 0													
															RS requests referral for failure to collect lead samples in 2011 and 2013. MDEQ 6/16: SDX for both violations 07/30/15. No referral necessary.												
05	MI	M0002865	GREENWOOD APARTMENTS	D	CWS	50	40%		6	6	N	N	P	Current Score 0													
05	MI	M0002860	ELY TOWNSHIP-GREENWOOD	D	CWS	266	40%		10	10	N	N	L	Current Score 0													
05	MI	M0002900	HARBOR COVE APARTMENTS	D	CWS	268	40%		20	20	N	N	P	Current Score 0													
05	MI	M0003010	HARBOR SPRINGS CITY OF	D	CWS	1,194	40%		1	1	N	N	L	Current Score 0													
05	MI	M0003015	HARBOR SPRINGS AREA AUTHORITY	D	CWS	303	40%		11	11	N	N	L	Current Score 0													
05	MI	M0003020	HARPER WOODS	D	CWS	14,238	40%		1	1	N	N	L	Current Score 0													
05	MI	M0003040	HARRISON TOWNSHIP	D	CWS	2,460	40%		1	1	N	N	L	Current Score 0													
05	MI	M0003070	HARTWELL	D	CWS	1,307	40%		1	1	N	N	L	Current Score 0													
05	MI	M0003117	HERITAGE APARTMENTS	D	CWS	30	40%		39	39	RTC	N	N	P	Current Score 0												
															RE 11/2015: Please advise when MDEQ will be SOING system. GWRN failure to address deficiency TT violation. MDEQ 11/16: This was a data commission, SDX was issued. MDEQ 11/16: has been entered in SDWS.	RE 8/2015: On July 6, 2015 learned that Herb Children is no longer the owner and Heritage Apartments was purchased by Jerome McGill closed on purchasing Heritage Apartments from Bank Francis on June 26, 2015. EPA mailed 2015, 2014 CDRs to residents on June 30, 2015 using Jerome McGill as the PWS contact. The issuance of the COR returned all violations to compliance with new owner to ensure compliance and to address the COR portion of the GWRN significant deficiency. MDEQ 11/2015: MDEQ will be SOING system. GWRN failure to address deficiency TT violation. MDEQ 11/16: This was a data commission, SDX was issued. MDEQ 11/16: has been entered in SDWS.	RE 8/2015: On July 6, 2015 learned that Herb Children is no longer the owner and Heritage Apartments was purchased by Jerome McGill closed on purchasing Heritage Apartments from Bank Francis on June 26, 2015. EPA mailed 2015, 2014 CDRs to residents on June 30, 2015 using Jerome McGill as the PWS contact. The issuance of the COR returned all violations to compliance with new owner to ensure compliance and to address the COR portion of the GWRN significant deficiency. MDEQ 11/2015: MDEQ will be SOING system. GWRN failure to address deficiency TT violation. MDEQ 11/16: This was a data commission, SDX was issued. MDEQ 11/16: has been entered in SDWS.	RE 5/2015: Coordinated with MDEQ and (1) made system to system CY 2013 COR Writ for as requested in MDEQ's 10/8/2014 email to owner. (2) prepared a combined COR for CY 2013-2014 that includes a written COR for the system and emailed it to owner on 5/4/2015 with the instructions to sign and submit to MDEQ. ACTION After owner signs and submits the COR to MDEQ add RTC for this significant deficiency in the combined CY 2013-2014 and add a certification of delivery form to owner with MDEQ's significant deficiency instructions to deliver CDRs to residents and submit a signed certification. If owner fails to deliver the combined COR to residents by 11/23/2015 MDEQ will issue a writ for non-compliance. MDEQ 11/16: System RTC on MDEQ.	RE 5/2015: Coordinated with MDEQ and (1) made system to system CY 2013 COR Writ for as requested in MDEQ's 10/8/2014 email to owner. (2) prepared a combined COR for CY 2013-2014 that includes a written COR for the system and emailed it to owner on 5/4/2015 with the instructions to sign and submit to MDEQ. ACTION After owner signs and submits the COR to MDEQ add RTC for this significant deficiency in the combined CY 2013-2014 and add a certification of delivery form to owner with MDEQ's significant deficiency instructions to deliver CDRs to residents and submit a signed certification. If owner fails to deliver the combined COR to residents by 11/23/2015 MDEQ will issue a writ for non-compliance. MDEQ 11/16: System RTC on MDEQ.	RE 5/2015: Coordinated with MDEQ and (1) made system to system CY 2013 COR Writ for as requested in MDEQ's 10/8/2014 email to owner. (2) prepared a combined COR for CY 2013-2014 that includes a written COR for the system and emailed it to owner on 5/4/2015 with the instructions to sign and submit to MDEQ. ACTION After owner signs and submits the COR to MDEQ add RTC for this significant deficiency in the combined CY 2013-2014 and add a certification of delivery form to owner with MDEQ's significant deficiency instructions to deliver CDRs to residents and submit a signed certification. If owner fails to deliver the combined COR to residents by 11/23/2015 MDEQ will issue a writ for non-compliance. MDEQ 11/16: System RTC on MDEQ.	RE 5/2015: Coordinated with MDEQ and (1) made system to system CY 2013 COR Writ for as requested in MDEQ's 10/8/2014 email to owner. (2) prepared a combined COR for CY 2013-2014 that includes a written COR for the system and emailed it to owner on 5/4/2015 with the instructions to sign and submit to MDEQ. ACTION After owner signs and submits the COR to MDEQ add RTC for this significant deficiency in the combined CY 2013-2014 and add a certification of delivery form to owner with MDEQ's significant deficiency instructions to deliver CDRs to residents and submit a signed certification. If owner fails to deliver the combined COR to residents by 11/23/2015 MDEQ will issue a writ for non-compliance. MDEQ 11/16: System RTC on MDEQ.	RE Update on Referral as of 7/20/2015 and AO issued on 7/20/2015 for GWRN TT Violations (failure to address public notice for violations) and address the changes MDEQ requested in 10/8/2014 email to owner. (2) prepared a combined COR for CY 2013-2014 that includes a written COR for the system and emailed it to owner on 5/4/2015 with the instructions to sign and submit to MDEQ. ACTION After owner signs and submits the COR to MDEQ add RTC for this significant deficiency in the combined CY 2013-2014 and add a certification of delivery form to owner with MDEQ's significant deficiency instructions to deliver CDRs to residents and submit a signed certification. If owner fails to deliver the combined COR to residents by 11/23/2015 MDEQ will issue a writ for non-compliance. MDEQ 11/16: System RTC on MDEQ.	RE 11/2014: NOV issued on 7/20/2015 and AO issued on 7/20/2015 for GWRN TT Violations (failure to address public notice for violations) and address the changes MDEQ requested in 10/8/2014 email to owner. (2) prepared a combined COR for CY 2013-2014 that includes a written COR for the system and emailed it to owner on 5/4/2015 with the instructions to sign and submit to MDEQ. ACTION After owner signs and submits the COR to MDEQ add RTC for this significant deficiency in the combined CY 2013-2014 and add a certification of delivery form to owner with MDEQ's significant deficiency instructions to deliver CDRs to residents and submit a signed certification. If owner fails to deliver the combined COR to residents by 11/23/2015 MDEQ will issue a writ for non-compliance. MDEQ 11/16: System RTC on MDEQ.	MDEQ: All violations addressed to compliance.			
05	MI	M0003134	HIGHFIELDS YOUTH CAMP	D	CWS	66	40%		1	1	N	N	P	Current Score 0													
															RE 5/2016: RE requests that MDEQ refer this system to RS for enforcement for its Lead Consumer Notice violation. MDEQ 7/16: System RTC on MDEQ.												
05	MI	M0003180	HILLMAN VILLAGE OF	D	CWS	697	40%		6	6	N	N	L	Current Score 0													
05	MI	M0003185	HILLS OF WALLOON ASSOCIATION	D	CWS	87	40%		5	5	N	N	P	Current Score 0													
05	MI	M0003170	HILLSDALE	D	CWS	8,178	40%		1	1	N	N	L	Current Score 0													
05	MI	M0003225	HOMES TRAP PINE HOMEOWNERS ASSOCIATION	D	CWS	84	40%		1	1	N	N	P	Current Score 0				</									

[illegible]

MDEQ: All violations returned to compliance.

Region	State	PWSID	PWS Name	ETI Score	PWS Type	Pop Served	Visits	Priority Score Date	Repeat Violation Count	Total # of CWS	On Path to Compliance?	School of Children	Sp has No Violations?	Owner Type	ETI score classification	October 2016 ETI Quarterly Update	July 2016 ETI Quarterly Update	April 2016 ETI Quarterly Update	January 2016 ETI Quarterly Update	October 2015 ETI Quarterly Update	July 2015 ETI Quarterly Update	April 2015 ETI Quarterly Update	January 2015 ETI Quarterly Update	October 2014 ETI Quarterly Update	July 2014 ETI Quarterly Update	April 2014 ETI Quarterly Update
02	MI	M0004024	WHITE CREEK COUNTRY ESTATES	0	CWS	443	100%		17	17	N	N	N	P	Current Score 0											
02	MI	M0004026	WOODLAND ESTATES	0	CWS	268	100%		11	11	N	N	N	P	Current Score 0											
02	MI	M0004029	BEAL VILLA MOBILE HOME PARK	0	CWS	140	100%		5	5	N	N	N	P	Current Score 0											
02	MI	M0004037	BEULINE LAKE ESTATES	0	CWS	48	100%		1	1	N	N	N	P	Current Score 0											
02	MI	M0004038	FAIRLAWN MEADOWS	0	CWS	120	100%		4	4	N	N	N	P	Current Score 0											
02	MI	M0004039	UNIVERSITY MOBILE ESTATES #2	0	CWS	138	100%		6	6	N	N	N	P	Current Score 0											
02	MI	M0004033	HERITAGE HILLS MOBILE HOME VILLAGE	0	CWS	75	100%		8	8	N	N	N	P	Current Score 0											
02	MI	M0004035	HOLIDAY VILLAGE MOBILE HOME PARK	0	CWS	195	100%		1	1	N	N	N	P	Current Score 0											
02	MI	M0004042	WATER CREEK ESTATES	0	CWS	125	100%		10	10	RTC	N	N	P	Current Score 0											
02	MI	M0004043	HEAVEN VIEW MOBILE COURT	0	CWS	200	100%		1	1	N	N	N	P	Current Score 0											
02	MI	M0004047	PROSPERING PINES HOUSING COMMUNITY	0	CWS	263	100%		1	1	N	N	N	P	Current Score 0											
02	MI	M0004052	GREENTREE ESTATES	0	CWS	142	100%		6	6	N	N	N	P	Current Score 0											
02	MI	M0004055	APPLE CREEK VILLAGE	0	CWS	1,322	100%		2	2	N	N	N	P	Current Score 0											
02	MI	M0004056	BRISTOLTON ESTATES	0	CWS	1,600	100%		1	1	N	N	N	P	Current Score 0											
02	MI	M0004059	EDGEWOOD TRAILER PARK	0	CWS	162	100%		11	11	N	N	N	P	Current Score 0											
02	MI	M0004068	LAKE FOREST PARK	0	CWS	185	100%		11	11	N	N	N	P	Current Score 0											
02	MI	M0004070	HESS LAKE RV AND MOBILE HOME PARK	0	CWS	160	100%		1	1	N	N	N	P	Current Score 0											
02	MI	M0004084	GRONVILAND MANOR	0	CWS	465	100%		1	1	N	N	N	P	Current Score 0											
02	MI	M0004087	JOHN AND JOHNS ESTATES	0	CWS	2,488	100%		1	1	N	N	N	P	Current Score 0											
02	MI	M0004088	HIGHLAND HILLS OF HIGHLAND MHC	0	CWS	260	100%		1	1	N	N	N	P	Current Score 0											
02	MI	M0004090	ONE HILL ESTATES MHC	0	CWS	1,360	100%		1	1	N	N	N	P	Current Score 0											
02	MI	M0004095	HYLANDER VALLEY	0	CWS	158	100%		2	2	N	N	N	P	Current Score 0											
02	MI	M0004010	TWIN PINES MOBILE HOME PARK	0	CWS	30	100%		5	5	N	N	N	P	Current Score 0											
02	MI	M0004014	NOTTINGHAM FOREST MHP	0	CWS	165	100%		2	2	N	N	N	P	Current Score 0											
RS 11/2015: RS requests that MDECQ refer system to RS for enforcement of Lead Consumer Notice requirements. MDECQ 01116 - Violation SC062 November 2015. No relevant action taken.																										
02	MI	M0004019	GRAND COUNTRY	0	CWS	130	100%		3	3	N	N	N	P	Current Score 0											
02	MI	M0004020	CROOKWOOD COURT	0	CWS	156	100%		1	1	N	N	N	P	Current Score 0											
02	MI	M0004028	TALLMADGE MEADOWS	0	CWS	268	100%		1	1	N	N	N	P	Current Score 0											
02	MI	M0004040	EDGEHART MOBILE HOME COURT	0	CWS	312	100%		10	10	N	N	N	P	Current Score 0											
02	MI	M0004046	QUINT OAK TRAILER PARK	0	CWS	70	100%		8	8	N	N	N	P	Current Score 0											
02	MI	M0004049	ALANIS PARK - DURAND	0	CWS	86	100%		15	15	N	N	N	P	Current Score 0											
02	MI	M0004049	HOCKEY LAKE MOBILE HOME PARK	0	CWS	80	100%		2	2	N	N	N	P	Current Score 0											
02	MI	M0004074	SWEET LAKE MOBILE HOME PARK	0	CWS	80	100%		1	1	N	N	N	P	Current Score 0											
02	MI	M0004079	GLACIER COUNTRY ESTATES	0	CWS	162	100%		2	2	N	N	N	P	Current Score 0											
02	MI	M0004077	WASHBURN LAKE VILLAGE MHP	0	CWS	108	100%		35	35	RTC	N	N	P	Current Score 0											
MDECQ: All violations returned to compliance.																										
02	MI	M0004081	PINE CREST MOBILE HOME PARK	0	CWS	208	100%		1	1	N	N	N	P	Current Score 0											
02	MI	M0004090	DEVAN MOBILE HOME PARK	0	CWS	130	100%		15	15	N	N	N	P	Current Score 0											
02	MI	M0004095	BEULINE LAKE MHC-CAMPBELL RD	0	CWS	50	100%		10	10	N	N	N	P	Current Score 0											
02	MI	M0004096	SHADY BROOK MOBILE HOME PARK	0	CWS	62	100%		11	11	N	N	N	P	Current Score 0											
02	MI	M0004097	WHEEL HILLS LAKE TRAILER PARK	0	CWS	112	100%		10	10	N	N	N	P	Current Score 0											
02	MI	M0004091	MOOSE LAKE MOBILE HOME PARK	0	CWS	80	100%		6	6	N	N	N	P	Current Score 0											
02	MI	M0004018	WHITE BIRCH MOBILE HOME VILLAGE	0	CWS	250	100%		1	1	N	N	N	P	Current Score 0											
02	MI	M0004020	90 MOBILE ESTATES	0	CWS	80	100%		2	2	N	N	N	P	Current Score 0											
02	MI	M0004054	BEAN CREEK RESORT	0	CWS	180	100%		2	2	N	N	N	P	Current Score 0											
02	MI	M0004061	WATER BIRCH ESTATES	0	CWS	88	100%		1	1	N	N	N	P	Current Score 0											
02	MI	M0004063	CHAMONT CREEK ESTATES	0	CWS	188	100%		6	6	N	N	N	P	Current Score 0											
02	MI	M0004073	SASHABAW MEADOWS MHP	0	CWS	1,278	100%		1	1	N	N	N	P	Current Score 0											
02	MI	M0004077	PINE ISLAND LAKE REC PARK	0	CWS	75	100%		1	1	N	N	N	P	Current Score 0											
02	MI	M0004082	PATTS PLACE MHP	0	CWS	60	100%		3	3	RTC	N	N	P	Current Score 0											
02	MI	M0004088	LICKA PINES	0	CWS	250	100%		7	7	N	N	N	P	Current Score 0											
02	MI	M0004091	COUNTRY HILL PINES	0	CWS	174	100%		3	3	N	N	N	P	Current Score 0											
MDECQ 10/14: Returned to compliance March 2014. RS 02/14: RS requests that MDECQ refer system to RS for enforcement of Lead Consumer Notice.																										
02	MI	M0004092	RANDHILL ESTATES	0	CWS	87	100%		8	8	N	N	N	P	Current Score 0											
02	MI	M0004099	CASCADE WITH FARMES	0	CWS	344	100%		14	14	N	N	N	P	Current Score 0											
02	MI	M0004093	PINE RIDGE COMMUNITY, INC.	0	CWS	122	100%		1	1	N	N	N	P	Current Score 0											
02	MI	M0004015	BUEL HILL MOBILE HOME PARK	0	CWS	114	100%		14	14	N	N	N	P	Current Score 0											
MDECQ 10/14: Returned to compliance March 2014. RS 02/14: RS requests that MDECQ refer system to RS for enforcement of Lead Consumer Notice.																										
02	MI	M0004016	NORTH BAY HARBOR CLUB MHP	0	CWS	235	100%		5	5	N	N	N	P	Current Score 0											
02	MI	M0004017	CANTERBURY ESTATES MHP	0	CWS	350	100%		1	1	N	N	N	P	Current Score 0											
02	MI	M0004090	WEST PINE ISLAND	0	CWS	75	100%		2	2	N	N	N	P	Current Score 0											
02	MI	M0004066	JANTERS BLAIN	0	CWS	700	100%		1	1	N	N	N	P	Current Score 0											
02	MI	M0004065	HOLLY HILLS MHC	0	CWS	458	100%		1	1	N	N	N	P	Current Score 0											
02	MI	M0004072	REVER RIDGE	0	CWS	638	100%		2	2	N	N	N	P	Current Score 0											
02	MI	M0004081	ALTO MEADOWS	0	CWS	250	100%		1	1	N	N	N	P	Current Score 0											
02	MI	M0004075	MEADOW WOODS MHC CENTER	0	CWS	78	100%		1	1	N	N	N	P	Current Score 0											
02	MI	M0004066	PLANNERS PINES LLC	0	CWS	58	100%		1	1	N	N	N	P	Current Score 0											
02	MI	M0004070	VILLA AT GREEN LAKE ESTATES	0	CWS	80	100%		6	6	N	N	N	P	Current Score 0											
02	MI	M0005007	THE LAURELS OF FULTON	0	CWS	50	100%		1	1	N	N	N	P	Current Score 0											
RS 5/2016: RS requests that MDECQ refer this system to RS for enforcement for its Lead Consumer Notice violation. MDECQ 6/16: System RTC on 3/1/16.																										
02	MI	M0001709	CURRY HOUSE ASSISTED LIVING CENTER	0	CWS	76	100%		1	1	N	N	N	P	Current Score 0											
02	MI	M0005000	GLADWIN NURSING AND REHABILITATION COMMUNITY	0	CWS	80	100%		1	1	N	N	N	P	Current Score 0											
02	MI	M0005008	METROPS OF LAMONT	0	CWS	86	100%		1	1	N	N	N	P												